


ICS SignPRO-PLUS Digital Signage Systems

Powered by Net Display Systems PADS Digital Signage Software

Applications:

- Public Information
- Retail
- Building Directories
- Museums
- Advertising
- Transportation
- Wayfinding
- Banks
- Stock Brokers
- Hospitals
- Kiosks
- School Activities
- Restaurant Menu Boards



Live TV window With channel Being selected through the manager	DATE & TIME Text information Calendar of events Database information
	Web browser to show Web pages. Flash Power points
Pictures such as jpeg	
RSS NEWS, WEATHER AND SPORTS TICKER FEEDS	

ICS SignPRO-PLUS System is not just another digital signage product.


ICS SignPRO-PLUS System is based on the award winning PADS software product. PADS has more than 12 years of experience in the field, and during this period it has grown worldwide to be one of the most successful, comprehensive products in the market.

According to the valuable feedback we get from the market, our product is considered the most flexible and most technically advanced system for digital signage currently available worldwide.



Contact ICS Technology, Inc. for further information regarding a digital signage system that will meet your requirements.

ICS SignPRO-PLUS Digital Signage System




Arrivals				Departures			
Time	Airline	Flight	Source	Time	Airline	Flight	Source
19:30	Delta	SN600	LONDON HTROW	19:35	Delta	BD154	LONDON HTROW
19:35	Delta	AF3692	STRASBOURG	19:35	Delta	SN707	BRISTOL
19:35	Lufthansa	LH5152	BERLIN	19:40	Delta	BA5329	BIRMINGHAM
19:40	Delta	BA5020	MANCHESTER	19:40	Delta	SN701	LEEDS
19:40	Swire	SR396	GENEVA	19:40	Delta	SN785	GOTEBORG
19:45	Iberia	IB4216	BARCELONA	19:35	Delta	SK598	COPENHAGEN
19:45	Delta	DL162	BREMEN	19:50	Delta	EW37	DUBLIN
19:45	Delta	DL162	BREMEN	19:50	Delta	KL388	AMSTERDAM
19:50	Delta	BA402	LONDON HTROW	20:00	Delta	DB184	TOULOUSE
19:55	Delta	AF2928	PARIS	20:00	Delta	LC838	SOUTHAMPTON
19:55	Delta	BD155	LONDON HTROW	20:00	Delta	VM145	LE HAVRE

Presentation Design

Presentations can be designed using the following types of content:

- Videos (AVIs, MPEGs) Pictures (JPEGs, GIFs)
 - Text information Scrolling text
 - Web Browser (HTML, PowerPoint, FLASH, RSS feeds, etc.)
 - Live TV with channel select on each **SignPRO-PLUS** player
 - Text information updated through a database connection
- We also offer up-to-date stock ticker, weather and news services.

Each **ICS SignPro-Plus** screen is IP addressable and can have a different schedule and presentation.



ICS Desktop Viewer Option

Our ICS PADS Desktop Viewer works as a digital signage system and Alert Message for your network connected PCs. It acts as a Digital signage screensaver for your internal announcements and as an emergency message distribution digital signage with it's Alert Message Feature.

The ICS PADS Desktop Viewer is the ideal way to get your message out to employees and coworkers. Just by using the ICS PADS Desktop Viewer you can schedule information / presentations to pop up in the Screensaver. This Screensaver acts just like a normal screensaver. You can set the idle time before the screensaver appears. We also have additional features that are very useful when you must get the message out quickly. We offer as part of our ICS Desktop Viewer a Quick Alert message function that will pop up on every PC screen connected to your network moments after you schedule it. You can schedule your message to be displayed on a day and time. . It works the same as our ICS Sign-Pro Plus PADS digital signage system for designing and scheduling presentations.



The ICS PADS Desktop Viewer is easily installed and communicates over your existing network to the ICS PADS Desktop Viewer software that can be located on any PC. The ICS PADS Desktop Viewer works in conjunction with the ICS SignPro digital signage system.



ICS DVC-455 PLAYER



AOpen XMini GP7A-HD (SATA Super Multi)
Intel Core 2 Duo P8700 2.53 GHz 1066MHz 3MB
2GB DDR3 1066 SODIMM
Western Digital 160GB 5400RPM 8MB
Microsoft Windows 7 Professional 32 Bit

VIDEO OUTPUTS

DVI / VGA HD15, up to 2048 X 1536
IN 4X3 & 16X9
Audio - AC 97
Size - 6.5" X 2" X 6.5", lbs. 2.5
Operating temperature 32 degree F to 120 degree F
Storage temperature -20 degree F to 160 degree F
Relative humidity 10% to 90% non-condensing,
110 / 220 VAC

ICS DVC-485E PLAYER



SPECIFICATIONS

Processor Intel® Atom™ Processor 525,
Memory 2GB SO DIMM,
Hard Disk Drive 320GB SATA 7200RPM
Chipset NVIDIA® ION2
Front IO 2 x USB 2.0
1 VGA Output
1 HDMI Output
1 x Audio-Out, 1 x Line-In
4 x USB 2.0
1 x Gigabit LAN
1 x Audio-Out
1 x HDMI (HDMI to DVI Adapter cable)
Microsoft Windows 7 Embedded
Dimensions
(w x h x d) 6.75 x .875 x 6.75 inches
Power Supply 40W Adapter
Included VESA Mount Bracket

ICS DVC-555 PLAYER

The DVC 555 comes with quad output you can display your presentation on up to 4 screens



Dimensions 3.47" x 8.61" x 10"

Intel Socket 1156 Mini ITX Motherboard
Ultra Tiny mITX Chassis w/250w
Western Digital 160GB 5400RPM 8MB
Avant 2GB DDR3 1333MHz
Intel Core i3-530 2.93GHz S1156 4MB
Matrox M9120 Plus 512MB LP PCIe x16 low-profile
Matrox Quad Adapter Upgrade Cable
Microsoft Windows 7 Professional 32Bit